



Baclofen

5mg/mL Oral Suspension

Last updated: April 2007

Batch No: _____

Disclaimers: CAUTION: The information on The Hospital for Sick Children World Wide Web Site has been developed specifically for The Hospital for Sick Children. It is provided for informational purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient circumstances will vary and some information may have become outdated as a result of more recent medical developments.

Ingredients	Mfr	Lot #	Expiry Date	Quantity	Measured	Checked
Baclofen 20mg tablets (Lioresal® DS)	Novartis*			15		
Glycerin BP				2mL		
Simple Syrup NF				qs 60mL		

*no substitution

Equipment

- Glass mortar and pestle
- 3mL oral syringe
- Glass stirring rod
- Graduated measure
- 100mL clean amber bottle




Procedure

1. Crush tablets to a fine powder
2. Add glycerin to wet the powder and levigate to form a fine paste (may need to add some simple syrup)
3. Gradually add simple syrup in small amounts, levigating well after each addition until a liquid is formed.
4. Transfer to a graduate.
5. Use additional simple syrup to rinse the remaining drug from the mortar and add to the graduate.
6. Make up to final volume. Stir well.
7. Transfer to a glass, amber bottle. Label.

Storage: Refrigerate

Expiry: 35 days

Sample Label:

	BACLOFEN 5MG/ML ORAL SUSPENSION
L#:	EXP:
REFRIGERATE	SHAKE WELL (60ML)

Date and Signature (Technician and Pharmacist Final Check): _____
