



Chocolate Syrup

Last updated: November 2008

Batch No: _____

Disclaimers: CAUTION: The information on The Hospital for Sick Children World Wide Web Site has been developed specifically for The Hospital for Sick Children. It is provided for informational purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient circumstances will vary and some information may have become outdated as a result of more recent medical developments.

Ingredients	Mfr	Lot #	Expiry Date	Quantity	Measured	Checked
Simple Syrup BP/NF/USP				600mL		
Nestle's Quik Chocolate Syrup				qs 1000mL		

Equipment

- 3mL syringe x1
- 1000mL graduated measure x1
- Clean 1000mL glass bottle x1
- Stirring rod x1
- Shrink seal

✓ Procedure

1. Measure 600mL of Simple Syrup into the 1000mL graduated measure.
2. Make up the final volume of 1000mL with Nestle's Quik. Stir well.
3. Transfer the syrup into the 1000mL glass bottle.
4. Label and affix shrink seal.

Storage: Room temperature

Expiry: 6 months

Sample Label:

	CHOCOLATE SYRUP (NESTLE'S)
L#:	EXP:
STORE AT ROOM TEMPERATURE	SHAKE WELL (1L)

Date and Signature (Technician and Pharmacist Final Check): _____
