



# Indomethacin 5mg/mL Oral Suspension

Last updated: April 2007

Batch No: \_\_\_\_\_

Disclaimers: CAUTION: The information on The Hospital for Sick Children World Wide Web Site has been developed specifically for The Hospital for Sick Children. It is provided for purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient circumstances will vary and some information may have become outdated as a result of more recent medical developments.

Ingredients	Mfr	Lot #	Expiry Date	Quantity	Measured	Checked
Indomethacin 50 mg Capsules				10		
Simple Syrup BP/NF/USP				qs 100mL		

## Equipment

- Glass mortar and pestle
- Glass stirring rod
- 125mL graduated measure
- 100mL clean amber bottle
- Shrink seal

## ✓ Procedure

1. Wearing gloves, open and carefully empty the contents of the capsules into the mortar.
2. Levigate the powder with Simple Syrup until a smooth paste is formed. Add more Simple Syrup to the paste until a liquid is formed. Transfer to the graduated measure. Use additional Simple Syrup to rinse the remaining drug from the mortar.
3. Make up to the final volume of 100mL in the graduated measure using Simple Syrup. Stir well.
4. Transfer the suspension to the amber bottle.
5. Label and affix shrink seal.

Storage: Refrigerate

Expiry: 60 days

## Sample Label:

	<b>INDOMETHACIN 5MG/ML ORAL SUSPENSION</b>
L#:	EXP:
REFRIGERATE	SHAKE WELL (100ML)

Date and Signature (Technician and Pharmacist Final Check): \_\_\_\_\_  
\_\_\_\_\_