



Pyrazinamide 100mg/mL Oral Suspension

Last updated: April 2007

Batch No: _____

Disclaimers: CAUTION: The information on The Hospital for Sick Children World Wide Web Site has been developed specifically for The Hospital for Sick Children. It is provided for informational purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient circumstances will vary and some information may have become outdated as a result of more recent medical developments.

Ingredients	Mfr	Lot #	Expiry Date	Quantity	Measured	Checked
Pyrazinamide 500mg Tablets Simple Syrup BP/NF/USP				15 qs 75mL		

Equipment

- Glass mortar and pestle
- 100mL graduated measure
- Shrink seal x1
- Glass stirring rod
- 100mL clean amber glass bottle x1
- Gloves x1 pair
- Mask x1

✓ Procedure

- 1. Crush tablets to a fine powder.
- 2. Levigate powder with small amounts of Simple Syrup until a smooth paste is formed. Add more Simple Syrup to the paste until a liquid is formed. Transfer the suspension to the graduate. Use additional Simple Syrup to rinse the remaining drug from the mortar.
- 3. Make up the final volume of 75mL in the graduated measure with Simple Syrup. Stir well.
- 4. Transfer the suspension to the amber bottle.
- 5. Label and affix shrink seal.

Storage: Room temperature

Expiry: 42 days

Sample Label:

	PYRAZINAMIDE 100MG/ML ORAL SUSPENSION
L#:	EXP:
ROOM TEMPERATURE	SHAKE WELL (75mL)

Date and Signature (Technician and Pharmacist Final Check): _____
