



# Pyrimethamine 2mg/mL Oral Suspension

Last updated: April 2007

Batch No: \_\_\_\_\_

Disclaimers: CAUTION: The information on The Hospital for Sick Children World Wide Web Site has been developed specifically for The Hospital for Sick Children. It is provided for informational purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient circumstances will vary and some information may have become outdated as a result of more recent medical developments.

Ingredients	Mfr	Lot #	Expiry Date	Quantity	Measured	Checked
Pyrimethamine 25mg Tablets	Glaxo/Smith Kline			12		
SickKids Suspending Vehicle	SickKids			qs150mL		

### Equipment

- Mortar and pestle
- 250mL graduated measure x1
- Glass stirring rod
- 150mL clean amber bottle
- Shrink seal
- \*\*White CAP with paper lining

\*\* (do not use black caps with rubber lining as it reacts with the drug to create a foul smell. If none in drawer, get some from SDM)

### ✓ Procedure

1. Crush tablets into fine powder.
2. Add a small amount of SickKids suspending vehicle to the powder to form a paste. Add more vehicle until a liquid is formed. Transfer the suspension to the graduate.
3. Make up to the final volume in the graduated measure with the vehicle. Stir well.
4. Transfer the suspension to the amber bottle. Use white caps with paper lining.
5. Label and affix shrink seal.

Storage: Room Temperature

Expiry: 60 days

Sample Label:

	<b>PYRIMETHAMINE 2MG/ML ORAL SUSPENSION</b>
L#:	EXP:
ROOM TEMPERATURE	SHAKE WELL (150ML)

Date and Signature (Technician and Pharmacist Final Check): \_\_\_\_\_  
\_\_\_\_\_