

Ursodiol

50mg/mL Oral Suspension

Updated: April 2007

Batch No: _____

Disclaimers: CAUTION: The information on The Hospital for Sick Children World Wide Web Site has been developed specifically for The Hospital for Sick Children. It is provided for informational purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient circumstances will vary and some information may have become outdated as a result of more recent medical developments.

Ingredients	Mfr	Lot #	Expiry Date	Quantity	Measured	Checked
Ursodiol 250mg tablets	Axcan			24		
Ora-Plus®	Paddock			60mL		
Ora-Sweet®*	Paddock			60mL		
Ora-Plus®/Ora-Sweet® Mixture	SickKids			qs 120mL		

* Can use Ora-Sweet SF if sugar free preparation requested

Equipment

- Glass mortar and pestle
- 150mL graduated measure x1
- Glass stirring rod
- Mask x1
- Gloves x1 pair
- 150mL clean amber glass bottle x1
- Shrink seal x1


✓ Procedure

1. Measure Ora-Plus® and Ora-Sweet® and mix well.
2. Place tablets in a glass mortar
3. Soak tablets with Ora-Plus®/Ora-Sweet® mixture first. Let sit for a minimum of 30 minutes. Levigate with Ora-Plus®/Ora-Sweet® in small amounts until a smooth paste is formed. Add more vehicle to the paste until a liquid is formed. Transfer the suspension to the graduate use additional vehicle to rinse the remaining drug from the mortar.
4. Make up to the final volume in the graduated measure with vehicle. Stir well.
5. Transfer the suspension to the amber bottle.
6. Label and affix shrink seal.

Storage: Room Temperature

Expiry: 60 days

Sample Label:

	URSODIOL 50MG/ML ORAL SUSPENSION
L #:	EXP:
ROOM TEMPERATURE	SHAKE WELL (120ML)

Date and Signature (Technician and Pharmacist Final Check): _____
