



Spironolactone 5mg/mL Oral Suspension

Last updated: April 2007

Batch No: _____

Disclaimers: CAUTION: The information on The Hospital for Sick Children World Wide Web Site has been developed specifically for The Hospital for Sick Children. It is provided for informational purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient circumstances will vary and some information may have become outdated as a result of more recent medical developments.

Ingredients	Mfr	Lot #	Expiry Date	Quantity	Measured	Checked
Spironolactone 25 mg** Tablets (Aldactone)	Pfizer			20		
Sterile Water for Irrigation	Baxter			4mL		
Ora-Plus®	Paddock			50mL		
Ora-Sweet®	Paddock			50mL		
Ora-Plus®/Ora-Sweet® Mixture	SickKids			qs 100mL		

* Can substitute Ora-Sweet-SF for Ora-Sweet®, if necessary

** Aldactone tastes better

Equipment

- Small mortar and pestle
- 2x 125mL graduated measure
- 1x 5mL oral syringe
- Glass stirring rod
- 100mL clean amber bottle x1
- Shrink seal x1


✓ Procedure

1. Measure out and mix together the Ora-Plus®/Ora-Sweet®.
2. Soak the tablets with water in the mortar. Leave just until tablets are crushable. Then levigate tablets to make a smooth paste.
3. Add vehicle in small amounts to the paste, mixing well until a liquid is formed. Transfer the contents into the graduate. Use additional vehicle to rinse the remaining drug from the mortar and add to the graduate.
4. Make up to the final volume in the graduated using more vehicle. Stir well.
5. Transfer the suspension into an amber glass bottle.
6. Label and affix shrink seal.

Storage: Room Temperature

Expiry: 60 days

Sample Label:

	SPIRONOLACTONE 5 MG/ML ORAL SUSPENSION
L#:	EXP:
ROOM TEMPERATURE	SHAKE WELL (100ML)

Date and Signature (Technician and Pharmacist Final Check): _____
