

Mouthwash for Pain

Department of Pharmacy

Batch No:		
Quantity	Measured	Checked

Ingredients	Mfr	Lot #	Expiry Date	Quantity	Measured	Checked
Part A: Crystal Light (blueberry raspberry flavor)			Dute	8 mL		
Sterile Water for Irrigation USP (SWFI)/distilled water				q.s.1000 mL		
Part B: lidocaine HCl Viscous 2%				1000 mL		
Crystal Light Solution (see steps 1 & 2)				q.s 1700 mL		-

Additional Information:

Equipment:

glass stirring rod graduated measures

Procedure:

Follow your Dept. procedures for risk assessment/training/PPE/equipment/facilities/NAPRA level

Part A:

- 1. Add approximately 950 mL of sterile water for irrigation/distilled water into the 1000mL graduated measure.
- 2. Add 8.0 mL of crystal light liquid to the water. Stir well until mixed.
- 3. Then q.s. to final volume of 1000 mL with Sterile Water for Irrigation.

Part B:

- 4. Measure 1000 mL of Lidocaine Viscous 2% into a separate 3000 mL graduated measure.
- 5. Then q.s. to 1700 mL with the crystal light solution (Part A). Stir well until mixed.
- 6. Transfer into amber bottles.
- 7. Label.

Quality Control:

Expected Product Appearance	Additional Notes
Light red solution	

Storage:	Room temperature
Packaging:	Amber glass/plastic PET bottles
BUD:	30 days

Sample Label:

SickKids	mouthwash for pain		
THE HOSPITAL FOR SICK CHILDREN	Lot:	BUD:	
Department of Pharmacy	Room Temperature	Shake Well	

Date Made/Pre	epared By	//Checked By	:

Reference:

1. USP795.

Formulation Reviewed: October, 2020

Disclaimer: The information in this compounding and preparation worksheet was developed for in-house use only by The Hospital for Sick Children ("SickKids") and its staff. While SickKids endeavours to keep this information up to date and accurate, patient circumstances will vary and some information may become outdated as a result of recent medical developments following the time of printing. Any reliance you place on such information is therefore strictly at your own risk. Please note that the doses provided do not necessarily conform to the manufacturer's recommendations, and formulary drugs may not be licensed for use in children. The reader is cautioned to check the product information sheet provided by the manufacturer, and to verify indications, contraindications and recommended dosages. SickKids make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, or suitability of the information and related products contained in this worksheet for any purpose. SickKids accepts no responsibility for the reader's use, misuse or misinterpretation of the information, and does not promise success in achieving any desired result. In no event will SickKids be liable for any damage, liability or loss or for any indirect, incidental or consequential damages arising from the use of this information.